

TRUCK & SUV



STANDARD DUTY - VR EVO / vehicles up to 3,5t

- Convertible control pack for upright or low-profile mounting
- Sealed, waterproof Albright™ contactor
- One-piece tie plate - added strength and rigidity
- Best-in-class cone brake holds the winch's full-rated load
- Available in 3.600 - 5.400 kg capacities



PREMIUM - ZEON / vehicles up to 3,5t

- Full IP68 waterproofing & high corrosion resistance 408h
- Automotive-grade busbars for greater electrical connection
- Large diameter drum for longer rope life
- Ergonomic clutch control handles is easy to turn
- Available in 3.600 - 5.400 kg capacities



PERFORMANCE - ZEON PLATINIUM / vehicles up to 3,5t


- Full IP68 waterproofing & high corrosion resistance 408h
- Automotive-grade busbars for greater electrical connection
- Large diameter drum for longer rope life
- Automatic operation via wireless remote
- Available in 4.500 - 5.400 kg capacities



HEAVYWEIGHT - 16.5Ti / vehicles up to 5t


- Full IP68 waterproofing & high corrosion resistance 408h
- High-performance motor exclusive to the Heavyweights
- 3-segment mechanical cone brake with a steel sleeve 3-segment mechanical cone brake
- Available in 5.400 - 7.400 kg capacities

INDUSTRIAL



HYDRAULIC

- Heavy duty, high-flow hydraulic motor
- Standard roller tensioner & drum brake - optimal rope winding
- Mechanically locked clutch with smooth action
- Efficient planetary gear design & large drum diameter
- Easy access and servicing
- SAE J706 compliment



DC ELECTRIC

- Heavy-duty 12V or 24V series wound motor
- Automatic, self-locking disc brake
- Complies fully with SAE J706 standard
- Pull capacity up to 8,100 kgf
- Hardened steel, 3-stage planetary geartrain
- Weather-proof Industrial quality remote



SEVERE DUTY

- 24V DC electric-powered
- Pull capacity 5,400 - 8,100 kg
- Waterproof silicone sealing at all motor and gear housing
- Superior corrosion & chemical resistance
- 3-stage planetary geartrain
- Includes thermal protection switch and overload interrupt



PLANETARY GEAR HOISTS

- Lifting capacity 454 - 1800 kg
- Powerful series wound DC motor with robust sealing
- Proven 3-stage planetary geartrain
- Permanent grease lubrication
- Controls and remote sold separately

UTILITY & COMMERCIAL



PULLZALL



- Portable lifting and pulling tool
- Lifts or pulls up to 454 kg
- Replaces old-fashioned come-a-longs and chainfalls
- AC version perfect for use where power is available
- Cordless 24V version for use in the field
- Move heavy machinery, lift a load precisely into place



DRILL

- Powered by standard portable drill (not included)
- Lightweight and portable; pulling capacity 227 kg
- Free-spool clutch makes rigging fast and easy
- Includes 9m of steel rope
- Moving nursery stock, pulling a rolling load up onto a trailer



TRAILER WINCH

- Pulling capacity 900 - 2100 kg
- Outstanding duty cycle, durability, and reliability
- Powerful 1.6-1.9 horsepower permanent magnet DC motor
- Reliable three-stage planetary geartrain & roller fairlead
- Dynamic and mechanical braking for excellent control



AC POWERED

- Pulling capacity 454 - 1360 kg
- Permanent magnet motor, industrial planetary gearing
- Vented motor end cap and externally serviceable brushes
- Perfect solution for indoor work sites & workshops